

# Schiedel Isokern Garden Fireplace

Made from natural pumice, sourced from the Hekla Volcano in Iceland.

**SCHIEDEL** 





Scan the QR code to download our FREE app to see how the Garden Fireplace looks in your outdoor area before you buy!

# The Schiedel Isokern Garden Fireplace is the ideal solution for outdoor living.

## This stunning focal point for any garden is available in 3 sizes and is delivered in a complete packaged solution.

The natural volcanic pumice (sourced from the Hekla Volcano in Iceland) gives this outdoor fireplace all the insulation needed to have a safe and spectacular centre-piece in any garden. The relatively small footprint also means that it can be placed against any wall, even in small gardens or yards, where space is at a premium.

ON PORTION OF THE PROPERTY OF

The kit includes the chimney blocks, the lip glue for assembly, firebricks and also firebrick mortar and a render to either seal the joints or give an entire rendered finish.

The Small Garden model comes with a log retainer and barbecue grill (additional log stores are available as extra). The Medium and Large models can have a log store as an additional extra.

This makes the Garden Fireplace the only choice for outdoor heating and living, from the leading experts in chimney solutions.



#### **SMALL MODEL**

This version can function in any size garden as you can have it with or without the side log stores.

The 500 model comes with a FREE Log Retainer and a Grill to allow it to become a superb barbecue, as well as a stunning Garden Fireplace.

Additional chimney blocks can be added to increase the height.



Fire opening 510mm w × 540mm h Inside depth is approx 315mm after firebricks and the outside overall depth is 440mm

Weight 460kg 1 Pallet Delivery Code 169566

We recommend a 100mm thick concrete (or similar material) base as the completed build is very heavy and could sink or slant if the base is not strong enough.

#### MEDIUM MODEL

Our most popular model as it's easy to build and fully load bearing, like all the Garden Fireplaces. Our mid-range model is ideal for all garden sizes and can be freestanding, raised, or built against a wall.

Includes FREE Log Retainer.

Additional chimney blocks can be purchased to increase the height.

Fire opening 940mm  $w \times 720$ mm h depth is 640mm

Weight 960kg 1 Pallet Delivery Code 169567

We recommend a 100mm thick concrete (or similar material) base as the completed build is very heavy and could sink or slant if the base is not strong enough.





### LARGE MODEL

Our largest Garden Fireplace is a spectacular addition to your garden.

A wide open fireplace built with volcanic pumice, makes this the envy of any garden lover.

Includes FREE Log Retainer.

Additional chimney blocks can be purchased to increase the height.

Fire opening 1180 w x 720mm h depth is 640mm

Weight 1100kg 2 Pallet Delivery Code 169568

We recommend a 100mm thick concrete (or similar material) base as the completed build is very heavy and could sink or slant if the base is not strong enough.





## The Garden Fireplace

The Garden Fireplace is available in 3 sizes, all delivered in complete packaged solutions. There are various accessories and additions listed below

		2.1	Kit includes:
	Code	Product Name	• Modules fo
	157838	Log Storage for Small model	Chimney 8
Parket			• Lip glue for fireplace a
	157837	Log Storage for Medium model	• Firebricks
	168902	Log Storage for Large model	• Render fo
			Rendered or Fireplace car
	130727 130708	Additional Block for Small Additional Blocks for Medium/Large	Additional cl
0	130710	Capping for 500 model	Log stores c below or to
] [	177085 177086	Wave for Small model Wave for Medium and Large model	We recomm concrete (or base as the overy heavy a
	130771	Chimney Glue 5kg	slant if the b
	175176	Render Plaster 20kg bag	Take a look of videos show build the Ga
	176289	Grillset for 950 / 1200	our YouTube Head over to
			search for "S

#### s:

- for fireplace
- Blocks
- or assembly of and chimney
- s and firebrick mortar
- or finish

or unrendered an be painted.

chimney blocks can ed for extra height.

can be positioned the side.

mend a 100mm thick or similar material) completed build is and could sink or base is not strong

at some useful wing how easy it is to arden Fireplace on e TV Channel

to YouTube and SchiedelUK"

We recommend burning only Woodsure Scheme Approved wood. Moisture content in wood should be below 25% and there are moisture meters on the market to measure this.

No waste wood with paint, chemicals or other coatings should be burnt as this will lead to a build up of tar in the as well as releasing other volatile chemicals into the atmosphere.



#### Schiedel Isokern

Unit 8/9 Block A, Holton Road, Holton Heath Industrial Est., Poole BH16 6LG T +44 1202 861650













